

TURF PROTECTION

MULTI USE FLOORING™



COVERMASTER®... Ahead of the Game

CONTENTS

Associates Program	3
Benefits of Terraplas® Family	4 - 5
Specifications	6 - 7
Terratrak Plus®	8 - 9
Terratrak®	10 - 11
Terracover V®	12 - 13
Terraplas®	14 - 15
Terraflor®	16 - 17
Terratile®	18 - 19
Terraturf®	20 - 21
Roll Out Covers	22 - 23

GET MORE FROM YOUR FACILITY

Our turf protection systems give you the ability to host more than just soccer, football and baseball at your facility. Choose Covermaster and start hosting:

- ✓ Concerts
- ✓ Exhibitions
- ✓ Boxing
- ✓ Wrestling matches
- ✓ Moto X
- ✓ Motor Racing
- ✓ Monster Trucks
- ✓ Ice Shows
- ✓ Graduations
- ✓ Religious Festivals
- ✓ Rodeos
- ✓ Motor Shows
- ✓ Boat Shows
- ✓ Conventions
- ✓ Business Meetings
- ✓ Product Launches
- ✓ Road Race Finish Areas
- ✓ Charity Events
- ✓ Dinners
- ✓ Fireworks Displays



A UNIQUE PROBLEM

Today's stadiums and sports facilities are faced with a unique problem. On the one hand, they are expected to maintain the highest quality sports surface, adhering to the most rigorous guidelines. On the other hand, they are anticipated to draw in sell-out crowds from non-athletic events that can jeopardize the quality of their turf.

A QUALITY SOLUTION

Covermaster turf protection systems give you the best of both worlds: the ability to showcase world-class events at your facility without compromising the quality of your turf. We specialize in top quality surface protection that provides longevity and durability.

ASSOCIATES PROGRAM

The Terraplas® USA Rentals program, which was launched in 1994, has been a great bonus for sports facilities across North America.

Looking to Buy?

When you invest in a Terraplas® flooring system, you receive the added potential of making a large return on your investment through the Terraplas® Associates Program. The Terraplas® Rental Network connects you with facilities across North America who are looking to rent Terraplas® products for use in their facility.

Benefits of Buying a Terraplas® Flooring System:

- ✓ Return on investment of your initial purchase by renting to other facilities
- ✓ Access to a network of stadiums looking to rent flooring
- ✓ Terraplas® USA will provide a turn key rental program

Looking to Rent?

Is this your first time hosting a non-athletic event at your facility? Test the waters by renting any of the listed Terraplas® products. Join the extensive list of facilities that rent Terraplas® products to generate new sources of revenue for their facilities.

Benefits of Renting a Terraplas® Flooring System:

- ✓ Great for first time users
- ✓ Cost effective
- ✓ Over 1,000,000 sq. ft available

"A number of owners have earned the full purchase price of their cover system through the rental program, which then provides a continuing additional revenue stream year after year."


Mike Beane, Terraplas® USA.



Benefits of Terraplas® Family of Products








- ✓ Proven turf protection since 1991
- ✓ All systems lock together for safety and ease of installation
- ✓ High quality virgin HDPE for better heat and cold tolerance
- ✓ Translucent design ensures better turf health
- ✓ All products are recyclable
- ✓ Most impressive list of satisfied users
- ✓ Warranties backed by reliable companies
- ✓ A.D.A access ramps and non-slip surfaces
- ✓ 1,000,000, sqft available for rental in North America
- ✓ Independent testing facilities used to document specification data
- ✓ All products can be cleaned using high pressure wash methods
- ✓ Most application specific line up of products in the industry

The Magic of Translucency



Translucency is a standard feature. Sunlight can penetrate panels allowing photosynthesis to continue while the turf is covered. The result is that turf can be covered for a longer period of time while retaining its health and color.

Specifications

			Weight per ft ² Weight per m ²	Loading - Point Load
Terratrak Plus®	Material	Dimensions		
	HDPE	4' x 4' x 1 1/2" (usable 13.02ft ²) 1.21m x 1.21m x 38mm (usable 1.21m ²)	4.7lbs. 23kg	5,308lbs/inch ² 1,173kg / 20mm diameter
Terratrak®				
	HDPE or Polypropylene	4' x 4' x 1 1/2" 1.21m x 1.21m x 38mm	2.75 lbs. 13kg	700lbs/inch ² 155kg / 20mm diameter
Terraplas®				
	HDPE	3' 3" x 3' 3" x 2 1/2" 1m x 1m x 64mm	2.2lbs. 11kg	1,708lbs / inch ² 377kg / 20mm diameter
Terracover V®				
	HDPE	3' 3" x 3' 3" x 1 1/4" 1m x 1m x 34mm	3.06lbs. 15kg	2,585lbs/inch ² 571kg / 20mm diameter
Terraflor®				
	HDPE	2' 6" x 2' 6" x 1 1/2" 75cm x 75cm x 37mm	1.02lbs. 9kg	2,169lbs / inch ² 479kg / 20mm diameter
Terratile®				
	HDPE	3' 3" x 3' 3" x 1 1/2" 1m x 1m x 39mm	1.64lbs. 8kg	1,893lbs/inch ² 418kg / 20mm diameter
Terraturf®				
	HDPE	20" x 10" x 1" 50cm x 25cm x 25mm	1.22lbs. 6kg	1,477lbs/inch ² 326kg / 20mm diameter

* Fire test available upon request. Meets worldwide standards.



Loading - Spread Load	Storage Requirements	Transport 40'HCC	Life Expectancy	Installation Time	Method of Manufacturing
152,232lbs / ft ² 1,370,090lbs / yd ² 164kN / 150mm sq 7,288kN / m ²	12,960 ft ² = 40' x 8' x 7' high 42m ³ / 1000m ²	10,784 ft ² 1002m ²	min 10 yrs	10,000ft ² / 1 hr by 21 men 1000m ² / 1 hr by 21 men	Structural foam, injection moulded
60,800lbs / ft ² 547,200 yd ² 66kN / 150mm sq 2932kN / m ²	12,960 ft ² = 40' x 8' x 7' high 42m ³ / 1000m ²	12,900 ft ² 1198m ²	min 10 yrs	10,000ft ² / 1 hr by 21 men 1000m ² / 1 hr by 21 men	Conventional, injection moulded
22,278lbs / ft ² 200,501lbs / yd ² 24kN / 150mm sq 1,066kN / m ²	10,800ft ² = 45.5' x 6.5' x 8.5' high 60m ³ / 1000m ²	10,800 ft ² 1000m ²	20 yrs	10,000ft ² / 1 hr by 21 men 1000m ² / 1 hr by 21 men	Structural foam, injection moulded
60,336lbs / ft ² 543,023lbs / yd ² 65kN / 150mm sq 2,888kN / m ²	18,081 ft ² = 45' x 6.5' x 8.75' high 42m ³ / 1000m ²	10,800 ft ² 1000m ²	min 10 yrs	10,000ft ² / 1 hr by 21 men 1000m ² / 1 hr by 21 men	Twin sheet thermoformed
40,842lbs / ft ² 367,585lbs / yd ² 44kN / 150mm sq 1,955kN / m ²	19,602 ft ² = 45' x 7' x 8.5' high 45m ³ / 1000m ²	15,900 ft ² 1347m ²	15 yrs	10,000ft ² / 1 hr by 21 men 1000m ² / 1 hr by 21 men	Structural foam, injection moulded
79,829lbs / ft ² 718,462lbs / yd ² 86kN / 150mm sq 3,822kN / m ²	18,291 ft ² = 45.5' x 6.5' x 8.5' high 45m ³ / 1000m ²	14,400 ft ² 1340m ²	min 10 yrs	10,000ft ² / 1 hr by 21 men 1000m ² / 1 hr by 21 men	Structural foam, injection moulded
70,546lbs / ft ² 634,919lbs / yd ² 76kN / 150mm sq 3,377kN / m ²	27,125 ft ² = 45' x 6.5' x 9' high 20m ³ / 1000m ²	21,786 ft ² 2024m ²	10 yrs	10,000ft ² / 1 hr by 21 men 1000m ² / 1 hr by 21 men	Conventional injection moulded



Can be driven on
by heavy equipment



Suitable for use
on Natural Turf



Suitable for use
on Synthetic Turf

TERRATRAK PLUS®

New & Improved



Terratrak Plus® is specifically designed for use in stadiums and large arenas during concert load-in and load-out.

Terratrak Plus® is manufactured from translucent high density polyethylene plastic and can easily be laid by hand. Groundstaff will be thrilled as Terratrak Plus® allows grass to continue growing normally without causing damage, during load in and load out.

With its overlapping design and unique locking system, it creates a continuous surface free from gaps. With a completely smooth bottom, there are no indentations to leave ruts in the turf.

SPECS

Size: 4' x 4' x 1 1/2" (usable 13.02ft²)
1.21m x 1.21m x 38mm (usable 1.21m²)

Weight per ft²/m²: 4.7lbs / 23kg (per tile)

Loading - Point Load: 5,308lbs/inch²
1,173kg / 20mm diameter

Loading - Spread Load: 152,232lbs / ft²
1,370,090lbs / yd²

164kN / 150mm sq
7,288kN / m²

Color: Grey/Translucent


Warranty: 1 Year

Fire Resistant*: Yes





With the highest built-in spread load capabilities, Terratrak Plus[®] is used as a temporary roadway for heavy duty forklifts, large trucks and cranes.



Top Side



Bottom Side



Synthetic
Turf



Temporary
Roadway

TERRATRAK[®]

Works Well Under Pressure...

✓ Extremely high load capabilities

✓ Can be used with other Terraplas[®] products

✓ Lightweight for easy deployment

With extremely high built-in spread load capabilities, Terratrak[®] is used as a temporary roadway for forklifts, large trucks and cranes.

The culmination of over 20 years of experience in the temporary roadway and flooring industries, Terraplas[®] has used the latest computer aided design and testing to create a product that meets the challenges and requirements of the event industry.

Terratrak[®] is designed to take the weight and stresses exerted by forklifts and 100 ton cranes as used in the outdoor concert business.

Terratrak[®] is light enough to be put in position by hand and with its overlapping design and unique locking system, it creates a continuous surface free from gaps and other potential trip hazards.

SPECS

Size: 4" x 4" x 1 1/2"

(1.21m x 1.21m x 38mm)

Weight per ft²/m²: 2.75lbs (13kg)

Loading - Point Load: 700lbs/inch²

155kg / 20mm diameter

Loading - Spread Load: 60,800lbs / ft²

547,200lbs / yd²

66kN / 150mm sq

2,932kN / m²

Color: Grey/Translucent

Warranty: 1 Year

Fire Resistant*: Yes





Terratrak® has an extremely high load capability and can be used with other Terraplas® products for large event setups.



Top Side



Bottom Side


Natural
Turf



Synthetic
Turf



Temporary
Roadway

TERRACOVER V[®]

An Investment in Peace of Mind...



Can be used
as a temporary
roadway



Bears the
weight of
forklifts



Overlapping panels
protect artificial turf
from spills

Designed for strength and versatility, Terracover V[®] provides a seamless connecting flooring system capable of handling forklift and vehicle traffic. Terracover V[®] locks into place with vertical camlocks to support spread loads up to 60,000lbs.

Terracover V[®] can be used indoors or outdoors for swift setup on artificial turf surfaces. Sturdy enough to handle forklifts, small vehicles and stage setups.

Overlapping panels ensure no dirt or debris gets mixed in with the granules of an artificial turf field during non-athletic events.

SPECS

Size: 3' 3" x 3' 3" x 1 1/4 "
(1m x 1m x 34mm)

Weight per ft²/m²: 3.06lbs/15kg


Loading - Point Load: 2,585lbs/inch²
571 kg /20mm diameter

Loading - Spread Load: 60,336lbs / ft²
543,023lbs / yd²
65kN /150mm sq
2,888kN / m²

Color: Grey/Translucent


Warranty: 5 Years

Fire Resistant*: Yes





Terracover V® can be used in conjunction with other Terraplas® products to create a temporary roadway for stage and event set ups. Additionally, it has even been used to convert artificial turf playing fields into temporary event parking lots, such as this one at the Los Angeles Memorial Coliseum.



Top Side



Bottom Side


Natural
Turf



Synthetic
Turf



Temporary
Roadway

TERRAPLAS®

Designed for The Best...



Highest profile
for longest
turf growth



World-wide sales
for over 20 years



Anti-slip strips for
extra safety

The highest profile sports flooring protection available. Terraplas® is used across the globe to host rock concerts and events on a stadium turf. Terraplas® allows uninterrupted growth for natural turf surfaces.

Built to withstand crowds in excess of 80,000, Terraplas® boasts the highest profile and is made with the highest quality translucent plastics. The original Terraplas® system developed in 1991 for Wembley stadium is still in use today. That's more than a decade and a half of consistent performance under the toughest conditions.

Fitted with camlocks and an anti-slip surface, Terraplas® is one of the safest flooring systems available.

If you are looking to protect your facility's turf for large scale, multi-day events Terraplas® is the perfect solution.

SPECS

Size: 3' 3" x 3' 3" x 2½"
(1 m x 1 m x 64 mm)

Weight per ft²/m²: 2.2lbs / 11kg

Loading - Point Load: 1,708lbs / inch²
377kg / 20mm diameter

Loading - Spread Load: 22,278lbs / ft²
200,501lbs / yd²

24kN / 150mm sq
1,066kN / m²

Color: Translucent

Warranty: 5 Years


Fire Resistant*: Yes





"The results of using Terraplas® have been amazing. When normal field coverings had been used previously the turf beneath had been either dead or dying after eight days. Turf protected for a similar length of time by Terraplas® remained in a remarkable condition."

Spectacor Management Group.



Top Side

Bottom Side

TERRAFLOR®

The Best - For Even Less...

✓ Cost-effective
shipping

✓ Proven to
promote growth

✓ Completely
interlocking

Terraflor® locks into place to provide a level flooring solution for artificial or natural turf. A smaller profile than Terraplas® decreases storage space for this dependable turf protection system.

Made with the highest quality virgin plastics, Terraflor® does not interfere with the natural growth of your turf and is tested to perform well in harsh weather conditions.

Cone-shaped air holes allow for air to pass through to your turf, while preventing damage from harmful liquids and debris.

SPECS

Size: 2' 6" x 2' 6" x 1½"
(75 cm x 75 cm x 37 mm)

Weight per ft²/m²: 1.02lbs / 9kg

Loading - Point Load: 2,169lbs / inch²
479kg / 20mm diameter

Loading - Spread Load: 40,842lbs / ft²
367,585lbs / yd²
44kN / 150mm sq
1,955kN / m²

Color: Translucent

Warranty: 5 Years


Fire Resistant*: Yes






"Not only does Terraflor® protect the stadium grass better than any other product on the market, it locks together and overlaps, making a floor that is outstanding for our concert guests."

Lee Zeidman, Senior Vice President Operations, Home Depot Center.



Top Side



Bottom Side



TERRATILE®

Great Features...



Saves on storage

Camlocks fasten Terratile® into place for enhanced safety during high volume events. Translucent panels prevent damage to natural turf and in some climates increase growth.

Terratile® is light on storage requirements and shipping costs. With a profile approximately 40% less than Terraplas®, owners enjoy the comfort of a more compact product that is reliable and long-lasting.

Terratile® can be set up quickly and efficiently. Light-weight panels are easily deployed by hand while the entire system can bear the load of small utility vehicles. Terratile® is perfect for venues looking to host a concert one day, and an athletic event the next.



Quick and easy installation

Terratile® is designed to be used with temporary roadways such as Terratrak® and Terracover V® for a complete flooring solution.

SPECS

Size: 3' 3" x 3' 3" x 1 1/2"
(1m x 1m x 39mm)

Weight per ft²/m²: 1.64lbs / 8kg

Loading - Point Load: 1,893lbs/inch²
418kg / 20mm diameter

Loading - Spread Load: 79,829lbs / ft²
718,462lb / yd²


86kN / 150mm sq
3,822kN / m²

Color: Translucent

Warranty: 5 Years

Fire Resistant*: Yes





Terratile® is perfect for venues looking to host a concert one day, and an athletic event the next.



Top Side



Bottom Side



TERRATURF®

Affordable and Innovative



Great price



Promotes growth



Snaps into place

Terraturf® is a snap-together portable flooring system designed for high volume pedestrian traffic. Translucent sheets overlap to provide an easy to install, cost-effective turf protection system.

Installing Terraturf® is simple. Overlap each panel and step down until you hear Terraturf® snap into position and move on to the next panel. No locks or swinging hinges required.

Unlike competing products made with metal hinges, Terraturf® is made from high density polyethylene and will never rust after cleaning. Use any high pressure cold water spray washer to clean up after each event.

Not only does Terraturf® cost significantly less, its light weight means transportation costs can also be trimmed. This makes Terraturf® one of the most cost-effective solutions in the Terraplas® lineup.

While Terraturf® is made from virgin material, it was designed to be an eco-friendly product and is made with 100% recyclable material.

SPECS

Size: 20" x 10" x 1"
(50cm x 25cm x 25mm)

Weight per ft²/m²: 1.22lbs / 6kg

Loading - Point Load: 1,477lbs/inch²
326kg / 20mm diameter


Loading - Spread Load: 70,546lbs/ft²
643,919lbs/yd²
76kN / 150mm sq
3,377kN / m²

Color: Translucent

Warranty: 4 Years

Fire Resistant*: Yes





Terraturf® provides high quality turf protection for a fraction of the cost.



Top Side



Bottom Side



ROLL OUT COVERS

Durable, Lightweight and Flexible


Enkamat Flatback™

These "open matrix" rolls allow air to circulate through the field and allow sunlight to pass through.




Enkamat Plus™

Flexible rolls of "geo-matrix" matting prevent grass from being crushed during non-athletic events. Fitted with a layer of non-woven polyester material, Enkamat Plus™ provides protection from pedestrian traffic.




Top Side



Bottom Side

Geotextile™

Made of non-woven, needle-punched polyester that allows water, air and light to filter through, this reliable surface cover can endure heavy foot traffic and seating.



Fieldguard™

Covermaster® multi-use concert covers are made from reinforced vinyl of extraordinary strength. So strong, they are highly tear resistant. The covers are also flame retardant and waterproof, as well as rot and mildew resistant. The covers are also very easy to clean. After removing any heavy dirt accumulations, just pressure wash and let dry. As such, maintenance requirements are well within the capabilities of any facility.



**"When we rolled the Enkamat Plus™, we were amazed.
The grass looked brand new. It really worked like a champ."**

Larry Hawkins, Asheville Tourist General Manager.



CURRENT TERRAPLAS® OWNERS

Americas

TERRAPLAS®

Giants Stadium: New York, NY, USA
Mile High Stadium: Denver, CO, USA
Gillette Stadium: Foxboro, MA, USA
Soldier Field: Chicago, IL, USA
Terraplas USA: Kilgore, TX, USA
City of Edinburg: Edinburg, TX, USA
Safeco Field: Seattle, WA, USA
Toyota Park: Village of Bridgeview, IL, USA
Cleveland Browns: Cleveland, OH, USA
Seattle Center: Seattle, WA, USA
River Plate Stadium: Buenos Aires, Argentina

TERRACOVER®

Tropicana Field: St. Petersburg, FL, USA
Georgia Dome: Atlanta, GA, USA
HHH Metrodome: Minneapolis, MN, USA
Lucas Oil Stadium: Indianapolis, IN, USA
BC Place: Vancouver, BC, Canada

TERRACOVER V®

Hiram Bithorn Stadium: San Juan, Puerto Rico
Terraplas USA: Kilgore, TX, USA
Dolphin Stadium: Miami, FL, USA
Durham Athletic Park: Durham, NC, USA
Santa Ana Stadium: Santa Ana, CA, USA
Friends of Expo Center: Los Angeles, CA, USA
Stade Moncton Stadium: Moncton, NB, Canada

TERRAFLO®

Minute Maid Park: Houston, TX, USA
Home Depot Center: Carson, CA, USA
Pizza Hut Park: Frisco, TX, USA
Midway Concepts: NJ, USA
Michigan State University: East Lansing, MI, USA
The Rose Bowl: Pasadena, CA, USA

TERRATILE®

Durham Athletic Park: Durham, NC, USA
Commonwealth Stadium: Edmonton, AB, Canada

TERRATURF®

Walt Disney Studios Special Events:
Sun Valley, CA, USA

TERRATRAK®

Commonwealth Stadium: Edmonton, AB, Canada

Europe

TERRAPLAS®

Wembley Stadium: London, UK
Manchester United: Manchester, UK
Eve Trakway: Nottingham, UK
Sandown Racecourse: Sandown, UK
Lingfield Park Racecourse: Lingfield, UK
Kempton Park Racecourse: Kempton, UK
Ascot Racecourse: Ascot, UK
Cheltenham Racecourse: Cheltenham, UK
Aintree Racecourse: Aintree, UK
Trax TPA: Nottingham, UK
Parc des Princes Stadium: Paris, France
Parken National Stadium: Copenhagen, Denmark
Olympic Stadium: Stockholm, Sweden
GSP Stadium: Nicosia, Cyprus
Amsterdam Arena: Amsterdam, Netherlands
Dorna Promocien: Madrid, Spain
Eps: Köln, Germany
Stockholm Water Festival: Stockholm, Sweden

TERRAFLO®

Wembley Stadium: London, UK
E\T\C UK: London, UK
Terrafirma Roadways: Oxford, UK
Doncaster Racecourse: Doncaster, UK
Royal Windsor Racecourse: Windsor, UK
Chester Racecourse: Chester, UK
Vaduz Golf Club: Vaduz, Liechtenstein
Roadrunner Concert Services nv: Hoboken, Belgium
Italstage Company srl: Naples, Italy
Maripol Arena: Maripol Ukraine

TERRATRAK®

Wembley Stadium: London, UK

TERRATILE®

Kitson's Environmental: Dumfries, UK
Epsom Downs Racecourse: Epsom, UK

TERRACOVER V®

Astana Stadium: Astana, Kazakhstan

Oceania/Asia/Africa

TERRAPLAS®

Australian Grand Prix: Melbourne, Australia
Melbourne Cricket Ground: Melbourne, Australia
Sydney Cricket Ground: Sydney, Australia
TOTE Tasmania: Hobart, Australia
ANZ Stadium: Sydney, Australia
World Youth Day: Sydney, Australia
Tokyo Stadium: Tokyo, Japan
Toyota City Stadium: Toyota City, Japan
Kobe Stadium: Kobe City, Japan
Tosu Stadium: Tosu City, Japan
Sapporo Stadium: Sapporo, Japan
Shizuoka Stadium: Shizuoka, Japan
Ishiya Seika Stadium: Nishiku, Japan
Oita Stadium: Oita City, Japan
Tomen Corporation: Tokyo, Japan
Commonwealth Games Stadium: Kuala Lumpur, Malaysia
Shanghai Stadium: Shanghai, China
Hong Kong Stadium: Hong Kong
Hong Kong District Leisure Services: Hong Kong

TERRAFLO®

M.S.F.A.: Brisbane, Australia
for: QSAC

- Suncorp Stadium

- The Gabba

- Skilled Park: Gold Coast

Cairo National Stadium: Cairo, Egypt

Soccer City: Johannesburg, South Africa

TERRATRAK®

Dubai Sports City: Dubai, UAE

Independence Stadium: Windhoek, Namibia

Soccer City: Johannesburg, South Africa

TERRATILE®

Dubai Sports City: Dubai, UAE

BermanHire: Centurion, South Africa

Independence Stadium: Windhoek, Namibia

Nelson Mandela Bay Stadium: Port Elizabeth, South Africa

Cape Town Stadium: Cape Town, South Africa

TERRATRAK PLUS®

Nelson Mandela Bay Stadium: Port Elizabeth, South Africa

Cape Town Stadium: Cape Town, South Africa

COVERMASTER™
COVERMASTER
COVERMASTER

100 Westmore Dr., 11D Rexdale, ON M9V 5C3, Canada
1-800-387-5808 Tel: 416-745-1811 Fax: 416-742-6837

Email: info@covermaster.com
www.covermaster.com