

**Our technology
raised the performance.
Innovation lowered
the price.**



The Sound Solution.

Octave Band Attenuation Data (dB)

Model	NR Class	Frequency Hz	Attenuation (dB)									
			125	250	500	1000	2000	3150	4000	6300	8000	
OVER-HEAD AND FOLDING												
H6A	B	Mean	11.0	17.2	28.7	33.5	37.7	36.2	37.3	36.7		
		Standard Deviation	3.0	3.2	2.3	2.6	2.0	3.7	3.0	3.0	3.9	
H6F	B	Mean	12.1	16.9	26.6	33.2	35.6	35.9	35.3	37.8	37.2	
		Standard Deviation	3.1	3.0	2.1	3.2	3.0	2.7	2.5	3.1		
H9A	A	Mean	15.5	22.0	33.7	39.7	38.5	42.7	40.1	39.8	40.6	
		Standard Deviation	2.7	3.5	2.8	2.4	2.8	2.8	2.7	2.7	2.5	
H7A	A	Mean	15.5	24.5	35.3	40.0	36.9	39.9	37.5	37.7	38.1	
		Standard Deviation	3.0	2.0	2.4	2.8	2.6	2.8	3.2	2.7	3.9	
H7F	A	Mean	16.1	23.3	34.0	40.1	37.0	38.8	37.7	38.8	38.9	
		Standard Deviation	2.7	2.3	2.7	2.8	2.6	2.9	3.6	2.5	2.9	
H10A	A	Mean	21.0	26.0	36.6	40.6	38.0	41.8	42.7	41.7	41.3	
		Standard Deviation	1.9	2.3	2.3	2.4	2.5	2.7	1.8	2.1	2.5	
BEHIND-THE-HEAD												
H6B	A	Mean	12.0	16.0	26.1	32.0	35.9	38.8	37.0	37.1	38.7	
		Standard Deviation	3.5	2.9	2.7	2.0	2.3	3.3	3.3	2.5	3.4	
H8B	A	Mean	14.1	21.2	32.2	38.2	37.2	40.4	39.1	40.0	38.6	
		Standard Deviation	2.9	2.4	2.5	3.2	2.4	3.1	2.4	2.2	3.2	
H7B	A	Mean	16.8	23.5	34.8	39.7	38.5	35.8	38.2	40.1	40.1	
		Standard Deviation	2.9	2.4	2.5	3.2	2.4	3.1	2.4	2.2	3.2	
H10B	A	Mean	21.0	26.4	37.1	40.0	36.9	40.4	42.1	41.6	42.2	
		Standard Deviation	2.7	2.6	3.0	3.6	2.4	3.4	2.8	2.9	2.5	
CAP-ATTACHED OR COOL Hard Hat												
H6P3K	A	Mean	12.3	17.2	27.8	32.8	33.9	36.5	36.0	36.5	38.8	
		Standard Deviation	2.7	3.0	2.5	2.8	2.9	4.1	3.0	4.3	4.8	
H8P3K	A	Mean	14.0	20.7	31.2	36.6	36.6	40.5	38.4	38.1	39.0	
		Standard Deviation	3.2	3.6	3.0	2.9	2.8	2.9	3.6	2.3	3.6	
H7P3K	A	Mean	14.6	22.8	33.3	38.0	35.9	35.9	35.5	36.1	36.3	
		Standard Deviation	3.4	2.7	2.8	2.8	3.3	2.6	2.1	3.9	4.1	
H10P3K	A	Mean	21.7	25.5	36.2	38.3	36.7	38.3	41.3	42.1	41.3	
		Standard Deviation	3.0	3.3	3.6	3.4	2.9	3.6	3.4	2.5	3.1	

Attenuation data was obtained in accordance with ANSI S3.19 Standard in an accredited NVLAP laboratory.



**Calle San Ignacio de Loyola 271, Miraflores
Lima - Perú**

617 - 1212 Fax: 617 - 1213

www.prosac.com.pe

postmaster@prosac.com.pe

Choice of Models for Versatility.

Each Peltor muff series includes a choice of models to allow for different wearing positions and functions.

Look for these designations:

- A = With Headband for traditional over-the-head wear.
- B = With Neckband for Behind-the-Head wear. Will not interfere with hardhats.
- F = Folding Design for easy storage & pocket size portability.
- P3 = Helmet Attachable system to fit most slotted hardhats. Also accepts Peltor visors, and rain shields.

Peltor® Performance and Comfort.

Peltor is a worldwide leader in earmuff protectors because of its many innovative and exclusive features.

- Patented Liquid & Foam-Filled cushions for better seal and lower pressure.
- Padded wide headband for extended wear.
- Stainless steel headband wires with four-point suspension helps distribute cushion pressure evenly.
- Simple height adjustment
- Earcups pivot for alignment and consistent fit.
- Wide ear cushions for comfort.
- Replaceable ear cushions.
- Dielectric muff also available.

H10 Series – Extreme Performance Earmuffs

The H10 Series represents the ultimate in earmuff technology by providing one of the highest protection levels in the industry coupled with Peltor's extensive list of performance and comfort features. The Best of the best.



Model H10-A with Headband
NRR 30 dB



Model H10-B Earmuff Behind-the-Head
NRR 29 dB



Model H10-P3 Helmet Attachable
NRR 27 dB



Model H9-A with Headband
NRR 25 dB



Model H9-P3 Helmet
Attachable NRR 25 dB

H9 Series – Select Performance Earmuffs

These universal protectors are lightweight, comfortable, and effective enough to meet most workplace requirements and one of the most affordable earmuff choices in the industry today.

H7 Series – Deluxe Earmuffs

With a wide protection range that covers both severe and high noise levels, the H7 earmuffs are versatile enough to meet the protection requirements of almost any working environment.



Model H7-B Earmuff Behind-the-Head
NRR 26 dB



Model H7-E Folding Earmuff
NRR 26 dB



Model H7-P3 Helmet Attachable
NRR 24 dB

H6 Series – Low Profile Earmuffs

These slim design muffs were specially engineered for high comfort and continuous wear. There are four different models to meet a variety of needs and all are manufactured to Peltor's highest standards.



Model H6-A with Headband
NRR 21 dB



Model H6-E Folding Earmuff
NRR 21 dB



Model H6-P3 Helmet Attachable
NRR 21 dB



Model H6-B Earmuff Behind-the-Head
NRR 21 dB

For more information on the new line from Peltor, contact your Peltor distributor or visit www.peltor.com.