

Protecting People, Products & Performance













Calle San Ignacio de Loyola 271, Miraflores Lima - Perú

9 617 - 1212 Fax: 617 - 1213



www.prosac.com.pe



postmaster@prosac.com.pe



Aearo Technologies is a one-source supplier of hearing, eye, respiratory, head and face protection, as well as fall arrest equipment and communication headsets.

Sold under the E-A-R, AOSafety, Peltor and AOSafety/SafeWaze brands, Aearo safety products offer a well-earned reputation for quality, selection, dependability and customer satisfaction.

Aearo's nine manufacturing locations worldwide are all ISO certified, as is the automated Indianapolis Global Distribution Center.

Aearo takes pride in leading the industry in new product development and strives to develop meaningful and innovative products that provide solutions for today's workforce. Aearo's brands are well known for providing personal safety products that are lightweight, comfortable and effective at providing needed protective properties all day long.

Aearo also provides innovative information systems for both its distributors and end-user customers. Aearo distributors may request access to Aearo's exclusive online extranet site where order placement, order status information, sales literature and an electronic catalog are available. End-user customers can access www.aearo.com to view all brands and product lines, including literature files.











EA-R.	HEARING PROTECTION	2
PELTOR*	HEARING PROTECTION	7
PELTOR	COMMUNICATION HEADSETS	11
AOSafety	PROTECTIVE EYEWEAR	14
PELTOR	MILITARY EYEWEAR	20
ORANGECOUNTYCHOPPERS*	PROTECTIVE EYEWEAR, HEAD & FACE PROTECTION	21
AOSafety	HEAD & FACE PROTECTION	22
AOSafety	RESPIRATORY PROTECTION	25
SAFEWAZEA	FALL PROTECTION	31







Proven size, shape and foam

- Most popular earplug in the world
- The E-A-R Yellow color is your assurance of proven protection
- Moisture resistant dermatologically safe foam is not irritating
- Slow recovery PVC foam provides comfort with low pressure



Product Code	Description
310-1001	E-A-R Classic Plugs in Pillow Pack, Uncorded
311-1101	E-A-R Classic Corded Plugs in Poly Bag
312-1201	E-A-R Classic Plugs in Poly Bag, Uncorded
312-1082	E-A-R Classic Econopack, Uncorded, 1000/box
311-1081	E-A-R Classic Econopack, Corded, 500/box
310-1060	E-A-R Classic 30-Pair Pack, Uncorded
VP311-1101	E-A-R Classic Corded in 5-Pair Vending Pack



Draw the line

- NRR 30 dB
 Patented fitting ring assures proper fit
 Moisture resistant dermatological safe foam is not irritating
 Slow recovery PVC foam provides comfort with low pressure



Product Code	Description
312-4201	E-A-R Classic SuperFit 30 in Poly Bag, Uncorded
311-1126	E-A-R Classic SuperFit 30, Corded in Poly Bag



Highest Protection. Ultimate Comfort.

- NRR 33 dB Highest NRR available Self-adjusting foam provides low pressure seal Dermatologically safe foam is non-irritating to the skin



Product Code	Description
312-1250	E-A-Rsoft Yellow Neons Regular Size, Uncorded in Poly Bag
312-1251	E-A-Rsoft Yellow Neons Large Size, Uncorded in Poly Bag
311-1250	E-A-Rsoft Yellow Neons Regular Size, Corded in Poly Bag
311-1251	E-A-Rsoft Yellow Neons Large Size, Corded in Poly Bag

2





The World's Softest Earplug

- NRR 33 dB Highest NRR available
- Self-adjusting foam provides low pressure seal Exciting designs and brilliant colors
- Dermatologically safe foam is non-irritating to the skin



Product Code	Description
312-1252	E-A-Rsoft Yellow Neon Blasts Regular Size, Uncorded in Poly Bag
311-1252	E-A-Rsoft Yellow Neon Blasts Regular Size, Corded in Poly Bag



Draw the Line

- NRR 33 dB
- E-A-Rsoft with SuperFit fitting ring to assure
- proper fit
 Soft polyurethane earplug



Product Code	Description
311-1254	E-A-Rsoft SuperFit Regular in Poly Bag, Corded
312-1256	E-A-Rsoft SuperFit Regular in Poly Bag, Uncorded

TaperFit® 2

Soft, smooth design for ultimate comfort

- NRR 32 dB
- Self-adjusting foam provides low pressure seal
- The E-A-R Yellow color is your assurance of proven protection · Dermatologically safe foam is non-irritating to the skin



Product Code	Description
312-1219	E-A-R TaperFit 2 Regular Size, Uncorded in Poly Bag
312-1221	E-A-R TaperFit 2 Plus Size, Uncorded in Poly Bag
312-1223	E-A-R TaperFit 2 Regular Size, Corded in Poly Bag
312-1224	E-A-R TaperFit 2 Plus Size, Corded in Poly Bag



No Roll Down Earplugs

- · NRR 28 dB
- Quick, clean and hygienic EARform™ foam shapes to the ear canal



Product Code	Description
318-1000	E-A-R Push-Ins, Uncorded in Poly Bag, 100/box
318-1001	E-A-R Push-Ins, Corded in Poly Bag, 100/box
318-1002	E-A-R Push-Ins, Uncorded in Poly Bag, 200/box
318-1003	E-A-R Push-Ins, Corded in Poly Bag, 200/box
318-1004	E-A-R Push-Ins, Uncorded in Poly Bag, 500/box
318-1005	E-A-R Push-Ins, Corded in Poly Bag, 500/box
VP318-1001	E-A-R Push-Ins. Corded in 5-Pair Vending Pack







Shaped for comfort, gripped for fit

- "No Roll" convenience and hygiene NRR 30 dB tested for high protection



Product Code	Description
318-1008	E-A-R Push-Ins with Grip Rings, Uncorded in Poly Bag
318-1009	E-A-R Push-Ins with Grip Rings, Corded in Poly Bag



- Feels good from tip to grip
- No inner stem in canal tip provides greater softness
- NRR 26 dB



Product Code	Description	
318-1014	E-A-R Push-Ins ComforTip Uncorded	
318-1015	E-A-R Push-Ins ComforTip Corded	



Pod Plugs

- NRR 25 dB
- Soft flexible grips for easy insertion and removal
 Slow recovery foam inserts easily, seats and stays in place
 Designed for excellent attenuation on the job
 Pillow Pack



Product Code	Description
321-2100	E-A-R Express Pod Plugs with Blue Grips, Uncorded
321-2200	E-A-R Express Pod Plugs with Assorted Color Grips, Uncorded
311-1114	E-A-R Express Pod Plugs with Blue Grips and Cord
311-1115	E-A-R Express Pod Plugs with Assorted Color Grips and Corded



Premolded Reusable Earplugs

- NRR 25 dB
- Patented flange design gives the most comfortable fit of any reusable plug
- Conforms to oval shape of ear
- Washable, promotes worker hygiene
- No rolling or touching plug portion during insertion
 Metal detectable version available



Product Code	Description
340-4004	E-A-R UltraFit Plugs with Cord
340-4002	E-A-R UltraFit Plugs with Cord and Carrying Case
340-4007	E-A-R UltraFit Metal Detectable Plugs with Metal Detectable Cord
340-4017	E-A-R UltraFit Metal Detectable Econopack with Cord
340-4014	E-A-R UltraFit Econopack with Cord
VP340-4004	E-A-R UltraFit, Corded in 5-Pair Vending Pack

4





- · NRR 26 dB
- Colorful patented grips make insertion easier
- Patented flange design gives the most comfortable fit of any reusable plug
- Washable, promotes worker hygiene
- · No rolling or touching plug portion during insertion

Product Code	Description
340-6004	E-A-R UltraFit Plus, Corded in Poly Bag
340-6002	E-A-R UltraFit Plus, Corded with Carrying Case



Evaluated and Specified by the U.S. Armed Forces

- · Hear clearly but remain protected against high level
- impulse noises like weapons fire
- Dual-end offers separate end for protection against continuous



Product Code	Description
370-1000	Dual-End in Bulk - NSN 6515-01-466-2710
370-1010	Single-End in Pillow Pack package - NSN 6515-01-512-6072
370-1011	Blister Pack - Dual-End Plug, Carrying Case and Flame Retardant Lanyard



- Insert yellow end for Hear-Through and instant protection
 Insert red end for protection against constant hazardous noise
- · Aids in compliance with NFPA 70E



Product Code	Description
370-2000	Dual-End Plug, Carrying Case and Flame Retardant Lanvard



Semi-Insert Hearing Protectors

- NRR 20 dB
- Conically shaped plugs provide a comfortable fit
- No hinged band
- · Dermatologically safe plugs are non-irritating



Product Code	Description
320-2001	Caboflex Model 600 Hearing Protector







- Non-invasive, comfortable hearing protection
- No hinged band
- Dermatologically safe plugs are non-irritating



Product Code	Description
201 2101	E A DCone M

E-A-RCaps Model 200 Hearing protection 321-2101



Better Fit With A Twist

- NRR 28 dB
- The most protection of any semi-aural product available Soft, EARfoam™ foam tips Pivoting tips for optimum fit

- Hi-Viz Band
- Dermatologically safe plugs are non-irritating



Product Code	Description
320-1000	E-A-Rflex 28 Semi-Aural Hearing Protector



Comfortable, effective, lightweight alternative to earmuffs

- Highest NRR for a semi-insert in all three positions
 Dermatologically safe plugs are non-irritating



Product Code	Description
350-1001	E-A-Rflex Foam Tips Semi-Insert Hearing Protectors



Excellent attenuation with ultimate comfort

· Can be worn over-the-head, behind-the-head or under-the-chin



Product Code	Description
331-4000	E-A-R Muffs - Model 4000 - NRR 27dB
330-3001	E-A-R Muffs - Model 1000 - NRR 20dB
330-3002	E-A-R Muffs - Model 3000 - NRR 25dB
330-3031	E-A-R Muffs - Model 2000H Cap Attached - NRR 21dB



SKULL SCREWS EARPLUGS

- · Look of metal, soft feel of foam
- · No-roll convenience
- NRR 30 dB

Product Code	Description	
P1300	Skull Screws Uncorded	
P1301	Skull Screws Corded	





HO-TOUCH™ EARPLUGS

Hands off the foam

- Foam comfort without the Roll-Down
 Fuses soft foam with stem for easy and hygienic insertion
 Noise Jamming NRR of 29 dB

Product Code	Description
P2000	No-Touch Foam Plugs Uncorded
P2001	No-Touch Foam Plugs Corded





TRI-FLANGE™ EARPLUGS

Multiple Seals. Multiple Users.

- · Flexible flanges conform to the earcanal for custom fit
- Stem provides for quick and clean insertion Noise Jamming NRR of 26 dB

Product Code	Description
P3000	Tri-Flange Plugs Corded
P3001	Tri-Flange Plugs with Cloth Cord











TATTOO™ EARPLUGS

All-day comfort - Cutting Edge Design

- Soft, tapered shape
 Cutting edge "Tattoo Graphics"
 NRR 32 dB

Product Code	Description
P1100	Tattoo Plug Uncorded
P1101	Tattoo Plug Corded







Explosive colors. Softest Foam.

- · Choice of orange, red, pink, and purple pairs in each box
- Ultra-soft foam for comfortable all-day wear
 Noise Jamming NRR of 32 dB

Product Code	Description
P1000	Nitro Plugs Uncorded
P1001	Nitro Plugs Corded





PELTOR® EARMUFFS

H31 Hi-Viz **Series**

· Orange Hi-Viz cups for added visability

Product Code	Description
H31A	Deluxe Over-the-Head Orange
H31P3E	Deluxe Helmet Attach Orange





PTL™ MUFF

Just push the button and speech "outside" the muff cup can be heard "inside" clearly and safely

- No more lifting the cup or removing the muff to communicate
- Electronic hearing without the common electronic price

Product Code	Description	
H7A-PTL	PTL Over-The-Head, NRR 26dB	
H7P3E-PTL	PTL Cap Attached, NRR 25dB	
H7A HV-PTL	PTL Hi-Viz. Over-The-Head. NRR 26dB	

New Optime System

Optime classification system for easy product selection

- · Just match the Optime number to the measured noise level of the workstation
- · Patented liquid & foam-filled cushions for better seal and lower pressure
- Simple height adjustment
- · Wide ear cushions for comfort
- · Padded, wide headband for extended wear
- · Stainless steel headband wires
- · Four-point suspension to help distribute cushion pressure evenly

Optime 105

Recommended for noise levels up to 105dBA

- · Twin cup design minimizes resonance, thus achieving maximum high and low frequency attenuation CSA Class AL

Product Code	Description	
H10A	Over-The-Head Dual Cup, NRR 30dB	
H10B	Behind-The-Head Dual Cup, NRR 29dB	
H10P3E	Cap Attached Dual Cup, NRR 27dB	
H10A HV	Hi-Viz Over-The-Head Dual Cup, NRR 30dB	







Optime 101

Recommended for noise levels up to 101dBA

CSA Class A



Product Code	Description
H7A	Over-The-Head, Green, NRR 27dB
Н7В	Behind-The-Head, Green, NRR 26dB
H7P3F	Can Attached Green NRR 24dR

Optime 98

Recommended for noise levels up to 98dBA

CSA Class A



Product Code	Description
H9A	Over-The-Head, Yellow, NRR 25dB
H9P3E	Cap Attached, Yellow, NRR 23dB

Optime 95

Recommended for noise levels up to 95dBA

- · Slim Design for high comfort and continuous wear
- Great for wearing with welding hoods



Product Code	Description
H6A/V	Low Profile Over-The-Head, Beige, NRR 21dB, CSA Class B
H6B/V	Low Profile Behind-The-Head, Beige, NRR 21dB, CSA Class B
H6F/V	Low Profile Folding, Beige, NRR 21dB, CSA Class B
H6P3E/V	Low Profile Cap Attached, Beige, NRR 21dB, CSA Class A

Description

Product Code

MT7H79A

MT7H79B

MT7H79P3E

- Noise attenuating headset, plugs into 2-way radios to enable clear communication in high noise environments
- Requires a mating in-line PTT adapter cable; contact customer service for specific radio models available

Headband Model with Noise Canceling Boom Microphone, NRR 25dB

With Neckband Configuration for use Under Hard Hats, NRR 24dB

With Guide Arms for Mounting into Slotted Hard Hats, NRR 21dB







Tactical Pro[™]

Electronic Hearing Protectors

- New digital electronics for superior ambient sound reproduction
- For the hearing impaired or critical ambient monitoring applications
 - · 2-way headset model with boom microphone available; requires mating in-line radio push-to-talk cable (contact customer service)



Product Code	Description
MT15H7F SV	Folding Headband Model, NRR 26dB
MT15H7B SV	Neckband Model, NRR 25dB
MT15H7P3E SV	Helmet Attachment Model, NRR 22dB
MT15H7A-07 SV	Headband Model with Boom Microphone, NRR 26dB
MT15H7B-07 SV	Neckband Model with Boom Microphone, NRR 25dB
MT15H7P3E-07 SV	Hardhat Model with Boom Microphone, NRR 22dB





- New digital electronics for superior ambient sound reproduction inside the headset Folding headband makes the headset compact for storage
- Interchangeable outer cup shell design (extra set of orange cups



Product Code Description MT16H210F-479-SV Tactical Sport Headset, NRR 20 dB









Designed for 2-way radio users who must have clear reception of incoming transmissions while working in high noise areas

- Listen-only and 2-way models available
 Plugs into lapel microphone audio jack for monitoring radio
 traffic



Product Code	Description
HTM06	Listen-Only Earpiece, 25" long cable, 3.5 mm Mono Plug
HTM06-02	Listen-Only Earpiece, 8" long cable, 3.5 mm Mono Plug
HTM07	Listen-Only Earpiece, 25" long cable, 2.5 mm Mono Plug
HTM07-02	Listen-Only Earpiece, 8" long cable, 2.5 mm Mono Plug
HTM08	Listen-Only Earpiece, 3.5 mm Threaded Plug
PELTIP1	25 Reusable Comm. Tips, NRR 21dB
PELTIP2	100 Disposable Foam Comm. Tips, NRR 29dB



HearPlugs 2-Way Headset

- Lightweight, robust headset with earplug Earplug blocks out ambient sounds to allow clear transmisions to be heard
- Hardwired in-line PTT cable assembly with radio cable connector



Product Code	Description
MT21HTM01	Motorola HT1000 style connector
MT21HTM02	Motorola GP300 style connector
MT21HTM03	Motorola HT750 style connector





WorkTunes®

Headsets with a built-in AM/FM Radio

- Audio output in earcup limited to 82dB
 NRR 22dB and 25dB models available

Product Code	Description
HRX79A GU	Headband Model, Yellow/Black cups, NRR 25dB
HRX52A 343-SV-GV	Headband Model, Silver/Black cups, NRR 22dB
HRX52A 343-SV-OR	Headband Model, Orange/Black cups, NRR 22dB
HRX52P3E 343-SV-OR	Hardhat mount Model, Orange/Black cups, NRR 19dB
HRX52A-01347-BD-GV	Headband Model, Blue/Silver cups, audiojack with patch cord for monitoring scanners and radios, NRR 22dB



PowerCom Plus™

The Ultimate communicator with surround sound electronics

- · Self-contained 2-way radio headset uses 2 AA batteries
- · Up to 2-mile transmitting range
- 22 channels, 38 sub-privacy codes
 PTT or Voice-Activated transmitting
 Tri-lingual voice sub-system English/Spanish/French

Product Code	Description
MT53H7A4610	Headband model, NRR 25dB
MT53H7B4610	Neckband model, NRR 25dB
MT53H7P3E4610	Hardhat mount model, NRR 24dB
MT53H7A4620	Headband model, Intrinsically Safe Approved
MT53H7B4620	Neckband model, Intrinsically Safe Approved
MT53H7P3E4620	Hardhat model, Intrinsically Safe Approved
88022-00000	Foresty PowerCom Plus, includes orange headset/hardhat/screen
88009-00000	Rechargeable Ni-MH battery pack system

















There is no other eyewear system in the world like Lexa

- · Adjustable length temples and lens angle adjustment
- DX™ Anti-Fog Hard Coat guards against fogging
- · Duralite Polycarbonate lenses absord 99.9% of UV rays
- · Meets ANSI Z87.1-2003 and CSA Z94.3 standards
- · Made in U.S.A.

Product Code	Description	
15152-00000	Lexa Black Temple with Clear Lens, Medium	
15153-00000	Lexa Black Temple with Gray Lens, Medium	
15154-00000	Lexa Black Temple with Clear Lens, Large	



Lexa Readers - Enhance Advancements

- · Adjustable length temples
- · Lens angle adjustment
- DX™ Anti-Fog Hard Coat
- · Meets ANSI Z87.1-2003 and CSA Z94.3 standards
- · Made in U.S.A.





Converts Lexa lens to the lightest, most comfortable splash goggle

- · Soft, comfortable, lightweight shroud with indirect venting
- Lightest, most comfortable Splash Goggle at only 1.8 oz.
 Contoured lens provides wide viewing range of work area
- · DX™ Anti-Fog Hard Coat standard
- Meets ANSI Z87.1-2003 and CSA Z94.3 standards
- · Made in U.S.A.







GOGGLEGEAR

Converts Lexa to a dust goggle in just a snap

- Vent channels at top and bottom for improved air flow
- Lighter weight than most goggles for improved comfort
- Soft foam backing seals out particulates
- **DX™ Anti-Fog Hard Coat standard**
- Meets ANSI Z87.1-2003 and CSA Z94.3 standards
- Made in U.S.A.



Product Code	Description
16615-00000	GoggleGear with Black Frame and Clear Lens, Standard Bridge, Medium
16616-00000	GoggleGear with Black Frame and Clear Lens, Standard Bridge, Large
16617-00000	GoggleGear with Black Frame and Clear Lens with Strap, Medium
16618-00000	GoggleGear with Black Frame and Clear Lens with Strap, Large
16620-00000	Lexa Dust GoggleGear, Medium, Gray Lens with Temple
16621-00000	Lexa Dust GoggleGear, Medium, Gray Lens with Headband
16622-00000	Lexa Dust GoggleGear, Large, Gray Lens with Temple
16623-00000	Lexa Dust GoggleGear, Large, Gray Lens with Headband

MAXIM SPLASH GOGGLE

The Maximum in style, comfort and optical clarity

- · Available as low profile or over-the-glass
- DuoSoft shroud for all day comfort
- Indirect venting
- DX™ anti-fog hard coat resists fogging, scratching, chemicals and static
- Replacement lenses available
- · Meets ANSI Z87.1-2003 and CSA Z94.3 standards



Product Code	Description
40670-00000	Maxim Splash Goggle, Clear DX Low Profile Lens
40671-00000	Maxim Splash Goggle, Clear DX O-T-G Lens
40672-00000	Maxim Splash Goggle, Clear DX Low Profile Replacement Lens
40673-00000	Maxim Splash Goggle, Clear DX O-T-G Replacement Lens



Stylish metal frames and sleek lens put Metaliks in a class of its own

- Sleek 10-base curved lens
- Polished metal frame

- Soft adjustable nosebridge & rubber temple tips Anti-Fog or Hard Coat lens Meets ANSI Z87.1-2003 and CSA Z94.3 standards



Product Code	Description
11532-10000	Metaliks Blue Frame with Clear AF Lens
11570-10000	Metaliks Silver Frame with Clear AF Lens
11571-10000	Metaliks Silver Frame with Gray AF Lens
11572-10000	Metaliks Silver Frame with I/O Mirror HC Lens











A brushed nickel frame and sport-styled lens add adrenaline to the Metaliks line

- Soft, UniversI-fit nosepiece & rubber temple tips
 Anti-Fog or Hard Coat Lens
 Meets ANSI Z87.1-2003 and CSA Z94.3 standards



Product Code	Description
11343-10000	Metaliks Sport Brushed Nickel Frame with Clear AF Lens
11344-10000	Metaliks Sport Brushed Nickel Frame with Gray AF Lens
11345-10000	Metaliks Sport Brushed Nickel Frame with I/O Mirror HC Lens
11540-10000	Metaliks Sport Brushed Nickel Frame with Blue Mirror HC Lens



True "retro" styling reminiscent of the 1960's

- · Available in 3 bi-focal magnification strengths: +1.50, +2.00, +2.50
- **Anti-Fog or Hard Coat lens**
- Adjustable length temples
- Integral side shields and brow bar for profile protection
- Soft, Universal-fit, adjustable nose bridge Meets ANSI Z87.1-2003 and CSA Z94.3 standards



Product Code	Description
11411-00000	Nuvo Translucent Gray Brow, Gray Temple with Clear AF Lens
11412-00000	Nuvo Translucent Gray Brow, Gray Temple with Gray AF Lens
11413-00000	Nuvo Translucent Gray Brow, Gray Temple with I/O Mirror AF Lens
11434-00000	Nuvo Reader Clear Lens +1.50 magnification
11500-00000	Nuvo Reader Gray Lens +1.50 magnification
11345-00000	Nuvo Reader Clear Lens +2.00 magnification
11501-00000	Nuvo Reader Gray Lens +2.00 magnification
11346-00000	Nuvo Reader Clear Lens +2.50 magnification
11502-00000	Nuvo Reader Gray Lens +2.50 magnification

X.57027

Captures the sport styling of glasses worn by professional athletes

- Sleek temples hug the head for ultimate comfort
- 7.5 Base curve lens provides maximum coverage
- **Anti-Fog or Hard Coat lens**
- Soft, universal-fit nosepiece Meets ANSI Z87.1-2003 and CSA Z94.3 standards



Product Code	Description
15176-00000	X.Sport Black Frame with Clear AF Lens
15177-00000	V Cnort Block Frome with Croy AE Lone
13177-00000	X.Sport Black Frame with Gray AF Lens
15178-00000	X.Sport Black Frame with I/O Mirror HC Lens
10170 00000	At opon black Trains with 1/5 million 110 Lone
15182-00000	X.Sport Silverized Frame with Clear AF Lens





Traditional wraparound lens design provides excellent side

· Meets ANSI Z87.1-2003 Standard



Product Code	Description
11640-00000	Fuel, Metallic Sand Frame, Red Overmold, Red Mirror Lens, Lanyard, Micro Fiber Bag, Boxed
11641-00000	Fuel, Silver Color Frame, Blue Overmold, Blue Mirror Lens, Lanyard, Micro Fiber Bag, Boxed
11642-00000	Fuel, Blue Frame, Blue Overmold, I/O Mirror Lens, Lanyard, Micro Fiber Bag, Boxed



Strong, functional eye gear

· Meets ANSI Z87.1-2003 and CSA Z94.3 standards



Product Code	Description
11650-00000	Fuel2, Metallic Sand Frame, Red Overmold, Red Mirror Lens, Lanyard, Micro Fiber Bag, Boxed
11651-00000	Fuel2, Metallic Sand Frame, Red Overmold, Clear Anti-fog Lens, Lanyard, Micro Fiber Bag, Boxed
11652-00000	Fuel2, Silver Color Frame, Blue Overmold, Blue Mirror Lens, Lanyard, Micro Fiber Bag, Boxed
11653-00000	Fuel2, Silver Color Frame, Blue Overmold, Clear Anti-fog Lens, Lanyard, Micro Fiber Bag, Boxed
11654-00000	Fuel2, Black Rubberized Frame, Black Overmold, Gray Anti-fog Lens, Lanyard, Micro Fiber Bag, Boxed

Tourguard® III

Economical visitor spec fits over most prescription glasses


Meets ANSI Z87.1-2003 and CSA Z94.3 standards

Made in U.S.A.















QX safety eyewear takes protection higher than ever

- Meets ANSI Z87.1-2003 and CSA Z94.3 standards
- Dual 9-base lens for ultimate wrap coverage
- DX™ Anti-Fog Hard Coat guards against fogging
- Sportgrip temples hug the head for ultimate comfort Made in U.S.A.



Product Code	Description
12115-10000	QX 3000 Black Sport Grip Temples Soft Nose with Clear Lens
12116-10000	QX 3000 Black Sport Grip Temples Soft Nose with Gray Lens
12232-00000	QX Prescription Insert



So advanced, it doesn't just raise the bar in eyewear technology, it puts it out of reach

- Dual-injected, cushioned brow bar for comfort and protection
- New, patented dual-aspheric lens for prescription quality, distortion-free vision

 Meets ANSI Z87.1-2003 and CSA Z94.3 standards

 Made in U.S.A.



Product Code	Description
13250-00000	Black Adjustable Temple, Gray Undermold with Clear Lens
13251-00000	Black Adjustable Temple, Gray Undermold with Bronze Lens
13259-00000	Black Adjustable Temple, Gray Undermold with Clear Lens
13254-00000	Black Sport Grip Temple, Gray Undermold with Clear Lens
12233-00000	Maxim Prescription Insert



Contemporary, athletic styling

- Dual-injected, cushioned brow bar for comfort and protection
- New, patented dual-aspheric lens for prescription quality, distortion-free vision
- Meets ANSI Z87.1-2003 and CSA Z94.3 standards
- · Made in U.S.A.



Product Code	Description
13274-10000	Silver Sport Grip Temple, Blue Undermold with Clear Lens
13275-10000	Black Sport Grip Temple, Orange Undermold with Clear Lens
13278-10000	Black Sport Grip Temple, Orange Undermold with Bronze Lens
13276-10000	Yellow Sport Grip Temple, Blue Undermold with Clear Lens





 BX^{m}

- Fully adjustable and high style
- Adjustable length temple
- Lens angle adjustability Adjustable nose bridge
- Meets ANSI Z87.1-2003 and CSA Z94.1 Standards



Product Code	Description
11380-00000	BX, Silver/Black Frame, Clear, Anti-fog lens
11381-00000	BX, Silver/Black Frame, Gray, Anti-fog lens
11374-00000	BX Reader, Silver/Black Frame, Clear, +1.5 Diopter
11375-00000	BX Reader, Silver/Black Frame, Clear, +2.0 Diopter
11376-00000	BX Reader, Silver/Black Frame, Clear, +2.5 Diopter
11377-00000	BX Reader, Silver/Black Frame, Gray, +1.5 Diopter
11378-00000	BX Reader, Silver/Black Frame, Gray, +2.0 Diopter
11379-00000	BX Reader, Silver/Black Frame, Gray, +2.5 Diopter



So light, it's almost like it's not there

- Popular unisex styling
- Lightweight frame less than 1 oz.
- Meets ANSI Z87.1-2003



Product Code	Description
11326-00000	Virtua Clear Temples with Clear HC Lens
11327-00000	Virtua Gray Temples with Gray HC Lens
11329-00000	Virtua Clear Temples with Clear AF Lens
11330-00000	Virtua Gray Temples with Gray AF Lens
11328-00000	Virtua Clear Temples with I/O Mirror HC Lens
11353-00000	Virtua Amber Temples with Amber AF Lens
11354-00000	Virtua Amber Temples with Amber HC Lens

Virtua[™] Sport

Economical eye gear with wraparound design

- Comfortable, ultra light frame
- Sporty, sleek unisex styling
- 9 base curve lens
- High Impact polycarbonate filters 99.9% UV Meets ANSI Z87.1-2003 and CSA Z94.1 Standards









MAXIM_{TM} **Ballistic TacPac**

Peltor MAXIM™ Ballistic* Tac Pac

- $\begin{tabular}{ll} Made in U.S.A. \\ Meets Military V_o Test Regimen for High Velocity Impact \\ Quick-change clear, bronze and amber lenses for \\ \end{tabular}$
- Task-Specific Tactical Applications
- Meets ANSI Z87.1-2003 and CSA Z94.1 Standards
- Proprietary DX™ Anti-Fog Hard Coat resists fogging



Product Code	Description
13271-00000	Peltor MAXIM Ballistic Tac Pac - Retail Packaging
13272-00000	Peltor MAXIM Ballistic Tac Pac - Bulk Packaging (16 per case)
12233-00000	Peltor MAXIM Prescription Insert



Peltor QX™ Ballistic* Tac Pac

- · Made in U.S.A.
- Meets Military V_o Test Regimen for High Velocity Impact Protection
- Includes Interchangable Clear, Gray and Amber Anti-Fog Replacement Lenses
- Meets ANSI Z87.1-2003 and CSA Z94.1 Standards



Product Code	Description
12280-10000	Peltor QX Ballistic Tac Pac - Retail Packaging
12281-10000	Peltor QX Ballistic Tac Pac - Bulk Packaging (16 per case)
12232-00000	Peltor QX Prescription Insert



Peltor Maxim™ 2X2 Tactical Air Seal Goggle

- Patented Air Seal for Comfort, Protection, Impact **Absorption and Flotation**
- Excellent Orbital Eye Coverage and Wide Field of Vision
- Includes Interchangeable Temples and Headband
- Meets ANSI Z87.1-2003 and CSA Z94.1 Standards



Product Code	Description
40679-10000	Peltor Maxim 2X2 Kit - Retail Packaging
40678-10000	Peltor Maxim 2X2 Kit - Bulk Packaging (10 per case)
40690-00000	Peltor Maxim 2X2 Prescription Frames Kit



Peltor WartHog™ Tactical Goggles

- Anti-fog, abrasion-resistant lens coating
- Meets Military V50 High Velocity Impact Standard
- Flame retardant strap
- Includes replacement lens and protective sleeve



Product Code	Description	
40157-00000	Peltor WartHog Tactical Goggles - tan	
40161-00000	Peltor WartHog Tactical Goggles - black	





Protective Eyewear

- 3 exciting new OCC eyewear collections
- High quality, light weight aluminum frames
- Spring hinge temples for comfortable fitting
- Adjustable nose bridge fits virtually any nasal profile
- OCC logo on frame or lens
- Tough, durable polycarbonate lens absorbs 99.9% UV
- 100 Series meets ANSI Z87.1-2003 and CSA Z94.3 standards
- 200 and 300 Series meet ANSI Z87.1-2003 standards
- Eyewear Display holds 30 pairs of OCC eyewear
 - Peg hooks included for display on pegboard
 - Shelf-stable for display on countertop



11440-00000



11444-00000



11448-00000



Hard Hats

- High density, polyethylene shell Carbon fiber look in red or black
- Official OCC logo on front and back
- Meets ANSI Z89.1-1997 Type 1, Class C Standards



Product Code	Description
46140-00000	OCC-HH140 Orange County Chopper Hard Hat - Black
46141-00000	OCC-HH141 Orange County Chopper Hard Hat - Red

Headgear/ **Faceshields**

- Headgear has black carbon fiber look
- Official OCC logo on front
- Protects face and neck against flying particles and chemical splash
- Custom fit with fully adjustable suspension

Product Code	Description
82784-00000	OCC-HG101 OCC Headgear
82785-00000	OCC-HG102 OCC Headgear Combo w/ Clear Polycarbonate Shield
82786-00000	OCC-WP96 OCC Clear Polycarbonate Replacement Shield
82787-00000	OCC-WP96C OCC Dark Green Polycarbonate Replacement Shield









AO Tuffmaster® Headgear

Headgear that features a patented, unique system allowing window replacement in seconds

- High strength thermoplastic crown
- Provides impact resistance over a wide range of temperatures
- No snaps, bands, or cams. Easy window replacement
- Five position crown strap for additional support and comfort
- Meets ANSI Z87.1-2003
- Made in U.S.A.

Product Code	Description
82500-00000	H4 Economy Headgear
82501-00000	H8 Deluxe Headgear
82502-00000	H18 Cap Mounting Headgear
85216-00000	H10 Ratchet Headgear with Crown
82521-10000	HCP8 Ratchet Headgear with Clear Chin Protector
82519-00000	H24 Cap Mount Headgear (Non Slotted Hard Hats)



Headgear that fits AOSafety and Peltor hardhats as well as select hardhats by North, Protector Safety, Uvex, Jackson, Bullard, ERB, **MSA** and Fibre Metal

- Metal and Triax materials for high-heat applications
- Designed to fit all AOTuffMaster faceshield windows
- Quick-change feature allows for window replacement in seconds
- Exclusive attachment feature does not interfere with capmounted
- Positive stop ratchet allows the window to stay in the up position, and out of the field of vision, until lowered for viewing
- Meets ANSI Z87.1 Standard



Product Code	Description
82520-10000	AOSafety Tuffmaster H24M Universal Headgear




AO Tuffmaster® Tear-N-Wear™

Revolutionary product extends the life of a faceshield by seven times

- 7 mylar strips layered together provide excellent clarity
- Tabs on strips pop up one at a time for easy removal
- Vertical adjustment for correct viewing height
- Excellent heat, chemical and scratch resistance
- Fully assembled and ready for use
- Made in U.S.A.





^{**}For proper eye protection, always wear safety goggles or safety glasses under visors and faceshields.



AO Tuffmaster® Faceshields

Faceshields designed to protect workers in metalworking, utilities, forestry and many other industries

- · General and special purpose face protection windows available



Product Code	Description (Molded .080" windows)
82700-00000	W96 Clear Xylex Window
82701-00000	W96 Clear Polycarbonate Window
82504-00000	WP96AL Clear Aluminized Polycarbonate Molded Window
82518-00000	WP96BAL Medium Green Aluminized Polycarbonate
82702-00000	WP96C Dark Green Polycarbonate
82702-00000	WP96AF Clear Polycarbonate Anti-Fog

Product Code	Description (Flat .040" windows)
82582-00000	WP96X Clear Polycarbonate Large Window
82586-00000	WP96XBAL Wide Medium Green Aluminized Polycarbonate
82581-00000	WA96X Wide Clear PETG
82788-00000	WA96X Wide Clear Acetate
82566-00000	WP96C Dark Green Polycarbonate
82543-00000	WP96AF Clear Polycarbonate for Clear HCP8



Lumberjack® System

Especially designed for logging and tree trimming

- · Screen and muffs can be placed in up or down positions
- · Patented front visor sealing
- · International orange color for ease of visibility

Product Code	Description
G414	LumberJack W/XLR8 6PT Ratchet Suspension
PG2031N	Peltor Hard Hat System with V4A Metal Visor, H31P3E
V40AH9A	Brush Defender V40A Metal Mesh Visor/H9A
V40AHRX79A	Brush Defender V40A Metal Mesh Visor/WorkTunes



^{**}For proper eye protection, always wear safety goggles or safety glasses under visors and faceshields.







LR50[™] Hard Hat

Performance from the inside...Out


- · Molded of High-Density Polyethylene for impact protection
- Woven nylon suspension for comfortable, secure fit
 Combined workship awards and
- Cushioned, washable sweatband
- Accessory slots for hearing and face protection devices
- · Rain tough
- Meets ANSI Z89.1 Type 1, Class C, G, & E
- · Made in U.S.A.

Product Code	Description
46310-00000	White LR50 Hard Hat, 4-PT Pinlock Suspension
46311-00000	Yellow LR50 Hard Hat, 4-PT Pinlock Suspension
46312-00000	Red LR50 Hard Hat, 4-PT Pinlock Suspension
46313-00000	Hi-Viz Orange LR50 Hard Hat, 4-PT Pinlock Suspension
46321-00000	Blue LR50 Hard Hat, 4-PT Ratchet Supsension
46322-00000	Green LR50 Hard Hat, 4-PT Ratchet Suspension
46323-00000	Gray LR50 Hard Hat, 4-PT Ratchet Suspension
46320-00000	Hi-Viz Orange LR50 Hard Hat, 4-PT Ratchet Suspension



Universal accessory slots for use with a wide variety of eye, face and hearing protection products

- · Rugged, high-density polyethylene shell for maximum protection
- Nylon web suspension with full cushioned, washable foam brow pad
- · Imprinting available upon request
- Meets ANSI Z89.1 Type 1, Class C, G & E
- · Complies with OSHA regulations for industrial head protection
- Made in U.S.A.





Full Brim Hats

- Imprinting available upon request
- · Meets ANSI Z89.1 Type 1, Class G, E and C and
- · No snaps, bands, or cams. Easy window replacement
- Complies with OSHA regulations for industrial head protection
- Made in U.S.A.

Product Code	Description
46520-00000	Hard Hat-Full Brim, White 6-pt. Pinlock Suspension
46521-00000	Hard Hat-Full Brim, Yellow 6-pt. Pinlock Suspension
46522-00000	Hard Hat-Full Brim, White 6-pt. Ratchet Suspension
46523-00000	Hard Hat-Full Brim, Yellow 6-pt. Ratchet Suspension









*Quick*Latch

- Easy on-and-off latch allows the wearer to take the respirator on and off with one hand
- Choice of reusable silicone or low maintenance man-made rubber (TPR)
- · No snag straps with comfortable curved neck buckle
- NIOSH approved



Product Code	Description
50108-10000	8110S Quicklatch Facepiece NFE*, Silicone, Small, Facepiece No. 25322
50109-10000	8100S Quicklatch Facepiece NFE*, Silicone, Medium, Facepiece No. 25323
50110-10000	8120S Quicklatch Facepiece NFE*, Silicone, Large, Facepiece No. 25324
50113-00001	8110T Quicklatch Facepiece NFE*, TPR, Small, Facepiece No. 25319
50114-00001	8100T Quicklatch Facepiece NFE*, TPR, Medium, Facepiece No. 25320
50115-00001	8120T Quicklatch Facepiece NFE*, TPR, Large, Facepiece No. 25321



- · Same easy on-and-off latch as on traditional QuickLatch®
- Universal fit thinner walls and uniquely designed contours fit all face shapes and sizes while providing unsurpassed comfort-
- Choice of reusable silicone or Sim-U-Sil™ (simulated silicone)
- NIOSH approved



Product Code	Description
50177-00000	QuickLatch Flex Facepiece, NFE*, Silicone, Small, Facepiece No. 25351
50178-00000	QuickLatch Flex Facepiece, NFE*, Silicone, Medium, Facepiece No. 25253
50179-00000	QuickLatch Flex Facepiece, NFE*, Silicone Large, Facepiece No. 25355
50167-00000	QuickLatch Flex Facepiece, NFE*, Sim-U-Sil™, Small, Facepiece No. 25350
50168-00000	QuickLatch Flex Facepiece, NFE*, Sim-U-Sil™, Medium, Facepiece No. 25352
50169-00000	QuickLatch Flex Facepiece, NFE*, Sim-U-Sil™, Large, Facepiece No. 25354

QuickLatch & QuickLatch Flex Replacement Parts

Product Code	Description
51061-00000	R37 inhalation valve disc
51067-00000	R41B exhalation valve flap

^{*}Note: No Filter Element. Filters and cartridges must be ordered separately.





EZ-DROP®

- Easy off undo the neck buckle and respirator releases and slides off the face
- Low maintenance lightweight man-made rubber (TPR) No snag straps with comfortable curved neck buckle NIOSH approved

		1
11775		1 100
1011EC 36	and Cassadille	M11111
WHEN THE PARTY OF		
far.		

Product Code	Description
50430-00000	8210T EZ Drop Facepiece NFE*, Small, Facepiece No. 25319
50431-00000	8200T EZ Drop Facepiece NFE* Medium, Facepiece No. 25320
50432-00000	8220T EZ Drop Facepiece NFE*, Large, Facepiece No. 25321
50416-00000	82151T-R95 EZ Drop, Small with 8051 OV Cartridges, R9520 Filters and 8000 Filter Clips
50417-00000	82051T-R95 EZ Drop, Medium with 8051 OV Cartridges, R9520 Filters and 8000 Filter Clips
50418-00000	82251T-R95 EZ Drop, Large with 8051 OV Cartridges, R9520 Filters and 8000 Filter Clips



- · Silver handle turns to don and pulls to doff— no hassling with straps and buckles
- Large vented cleanable headgear for no-snag donning and doffing
 Fit dial for reproducible fit
 Soft silicone seal for secure fit

- Two sizes
- · Free personal training CD with every QuickFit



Product Code	Description
50480-00000	QuickFit Facepiece NFE*, Facepiece No. 50480
50482-00000	QuickFit Facepiece NFE*, Facepiece No. 50482

Replacement Parts

Product Code	Description	
51068-00000	inhalation valves for full face masks	
50669-00000	exhalation valve	
50679-00000	outer gaskets	
Accessories		

Accessories

Product Code	Description
50683-00000	Prescription eyewear insert
50682-00000	Mylar lens cover (9 peel-off lenses)
50692-00000	Tinted mylar lens cover (9 peel-off lenses)
50483-00000	Protective Tyvek hood for QuickFit

^{*}Note: No Filter Element. Filters and cartridges must be ordered separately.







BackTrack

- Converts QuickLatch, QuickFit, EZ Drop, 8300 and 8400 masks into Type C Continuous Flow Respirators
- Worn on the back for a clear working zone in front
- One size fits all
 NIOSH approved



Product Code	Description
50160-00000	BackTrack Air Supplied Breathing System. Includes belt assembly, breathing tube assembly, flow control valve assembly, hose clip.
50159-00000	Replacement flow control valve with belt clip
50158-00000	Replacement belt assembly
50157-00000	Replacement breathing tube
56036-00000	50' (3/8" diameter) airline hose
56037-00000	50' (1/2" diameter) airline hose
50596-00000	Cooling vortex tube with belt pad

Filters



Product Code	Description
50538-00000	N9520 N95 Filter, Box of 10
50539-00000	N9520 N95 Filter, Bulk of 50
50540-00000	R9520 R95 Filter, Box of 10
50541-00000	R9520 R95 Filter, Bulk of 50
50531-00000	8057- P100 Filter Cartridge effective against solid and liquid particulates that may contain oil (99.97% Efficiency Level), Box of 10
50559-00000	8057- P100 Filter Cartridge effective against solid and liquid particulates that may contain oil (99.97% Efficiency Level), Plastic Shell, Bulk of 144
50532-00000	8058-P100 Conform® P100 Filter, Box of 10
50560-00000	8058-P100 Conform® P100 Filter, Bulk of 200
50565-00000	80580A-P100 Conform® P100 OV/AG Nuisance Odor Filter, Box of 10
50566-00000	80580A-P100 Conform® P100 OV/AG Nuisance Odor Filter, Bulk of 200
50567-00000	80580-P100 Conform® P100 OV Nuisance Odor Filter, Box of 10
50568-00000	80580-P100 Conform® P100 OV Nuisance Odor Filter, Bulk of 200





Cartridges and Cartridge/Filter Combinations

- Full line of bayonet cartridges, filters, and cartridge/filter combinations
 Available in standard and bulk quantities
 NIOSH approved



Product Code	Description
50525-00000	8051 Organic Vapors, Box of 10
50555-00000	8051 Organic Vapors, Bulk of 144
50526-00000	8052 Acid Gases and Formaldehyde, Box of 10
50556-00000	8052 Acid Gases and Formaldehyde, Bulk of 144
50527-00000	8053 Organic Vapors and Acid Gases, Box of 10
50557-00000	8053 Organic Vapors and Add Gases, Bulk of 144
50528-00000	8054 Ammonia, Methylamine, Box of 10
50558-00000	8054 Ammonia, Methylamine, Bulk of 144
50529-00000	8059 Mercury Vapor, Chlorine, Box of 10
50530-00000	8061 Quantum® Multi-Contaminant, Box of 10
50549-00000	8061 Quantum® Multi-Contaminant, Bulk of 144
50533-00000	8053-P100 Organic Vapors, Acid Gases and P100 Filter Cartridge, Box of 10
50551-00000	8051-P100 Organic Vapors and P100 Filter Cartridge, Bulk of 72
50534-00000	8052-P100 Acid Gases, Formaldehyde, and P100 Filter Cartridge, Box of 10
50552-00000	8052-P100 Acid Gases, Formaldehyde, and P100 Filter Cartridge, Bulk of 72
50535-00000	8053-P100 Organic Vapors, Acid Gases, and P100 Filter Cartridge, Box of 10
50553-00000	8053-P100 Organic Vapors, Acid Gases, and P100 Filter Cartridge, Bulk of 72
50536-00000	8054-P100 Ammonia, Methylamine, and P100 Filter Cartridge, Box of 10
50554-00000	8054-P100 Ammonia, Methylamine, and P100 Filter Cartridge, Bulk of 72
50537-00000	8061-P100 Quantum® Plus Multi-Contaminant P100 Filter Cartridge, Box of 10
50550-00000	8061-P100 Quantum® Plus Multi-Contaminant P100 Filter Cartridge, Bulk of 72





Filter Clips



Product Code	Description
50547-00000	8005 Filter Holder for 8000 Series Respirators, 1 per Package
50542-00000	8000 Clip for N9520 and R9520 Filters, 1 per Package
50573-00000	8008 Clin for Conform® P100 Filters, 1 per Package

Pleats Plus®

- Independent testing shows Pleats Plus to be best fitting facepiece Double the surface area provides lowest breathing resistance Flexible pleats allow clear communication without breaking the
- Convenient flat fold storage between uses
- N95 model is cleared for use as a Surgical N95 Respirator by



Product Code	Description
50250-10000	N95 Pleats Plus Respirator, Small/Medium, Box of 50
50251-10000	N95 Pleats Plus Respirator, Medium/Large, Box of 50
50256-10000	N95 Pleats Plus Respirator, Small/Medium, Box of 25 Individually Wrapped
50257-10000	N95 Pleats Plus Respirator, Medium/Large, Box of 25 Individually Wrapped
50254-10000	R95 Pleats Plus Respirator, Small/Medium, Box of 50
50255-10000	R95 Pleats Plus Respirator, Medium/Large, Box of 50
50261-00000	N95 Pleats Plus Respirator, Medium/Large, Bulk of 200, Individually Wranned

N9504C and N9505C

- Double shell construction for longer life
- Two sizes available for non-valved version
- Straps securely stapled to tabs to assure filtering performance
- integrity
 NIOSH approved



Product Code	Description
50222-10000	N9504C Medium/Large N95 Particulate Respirator
50229-00000	N9504CS Small N95 Particulate Respirator
50223-10000	N9505C Medium/Large N95 Particulate Respirator with Exhalation





X-IT® 8800

- Two carrying options for Acid Gas version sturdy metal belt clip or carry bag with plastic belt clip NIOSH approved



Product Code	Description
50828-00000	X-IT 8822 Mouthbit Respirator with Carry Bag: Acid Gas
50829-00000	X-IT 8824 Mouthbit Respirator with Carry Bag: Ammonia and Methylamine
50831-00000	X-IT 8832 Mouthbit Respirator with Metal Belt Clip: Acid Gas

Escape Artist®

- Reusable respirator with 4 interchangeable cartridges
 Includes neck cord and belt clip
 Optional carrying case
 NIOSH approved



Product Code	Description
50815-00000	R9722-N95 Particulates and Acid Gases Respirator
50810-00000	R9722A Acid Gases Respirator
50827-00000	R9722E Chlorine and Chlorine Dioxide Respirator
50816-00000	R9724A Ammonia, Methylamine Respirator
51427-00000	R722-N95 Particulates and Acid Gases Cartridges, Box of 5
51428-00000	R722A Acid Gases Cartridges, Box of 5
51429-00000	R722E Chlorine and Chlorine Dioxide Cartridges, Box of 5
51430-00000	R724A Ammonia, Methylamine Cartridges, Box of 5

Fit Testing Kits and Accessories

- Easy to use turn-key qualitative fit test kits
 Kits and adapters for quantitative fit testing



Product Code	Description
50005-00001	Saccharin Qualitative Fit Test Kit
50006-00001	Bitrex Qualitative Fit Test Kit
51172-00000	Fit Test Adapter Kit for Use with PortaCount® and 8000 Series Bayonet Cartridge Respirators Only
51174-00000	Fit Test Adapter for Use with Fit Tester 3000 and 8000 Series Bayonet Cartridge Respirators Only
51064-0000	Plastic P100 Fit Test Adapter for 8000 Series Respirators





Airflex[™]

All AirFlex harnesses feature ergonomic, no tangle design with state-of-the-art webbing, quick connect buckles and sub-pelvic retainer

Product Code	Description
1510-ND	Single back D-ring
1511-ND	Single back D-ring, 2 waist D-rings
1515	Single back D-ring, removable front D-ring, waist D-rings, back



1511-ND



The WorkSafe harness is specially designed for positioning applications. The back pad adjusts up and down for custom fit and added support.

Product Code	Description
1311	Single back D-ring, 2 waist D-rings, grommet leg straps, pass- thru chest buckle, waist strap doubles as tool belt
B1311	Same as 1311, with a seat pad





1311



The SafeLight harness offers light weight for added comfort and is an excellent value for any fall protection application.

Product Code	Description
10910	Single back D-ring, pass-thru buckles
10911	Same as 10910, with 2 side D-rings
10950	Single back D-ring, grommetted leg straps, pass-thru chest buckle
10951	Single back D-ring, 2 side D-rings, grommetted leg straps, pass-thru chest buckle
10650	Single back D-ring, front D-ring, grommetted leg straps, pass-thru chest buckle
10651	Single back D-ring, front D-ring, 2 side D-rings, grommetted leg straps, pass-thru chest buckle
10952	Single back D-ring, 2 side D-rings, 2" waist pad and belt, grommetted leg straps, pass-thru chest buckle



10910





$\underset{\text{harness}}{\textbf{Apache}}^{\text{\tiny{IM}}}$

Rated to 400 lbs, the Apache is the only in-stock ready to ship 3X harness in the industry. Be sure to order with an Apache 400lb. rated lanyard!

Product Code	Description		
1710	Same as 1711, without the 2 side D-rings		
1711	Single back D-ring, 2 waist D-rings, grommet leg straps, pass- thru chest buckle, 4" stationary back pad, remov. waist belt		
1040	Single back D-ring, pass-thru chest and leg buckles		
1041	Single back D-ring, 2 side D-rings, pass-thru chest and leg buckles		





1711

$\begin{array}{c} \textbf{Apache}^{^{\text{TM}}} \\ \textbf{lanyard} + \textbf{anchor} \end{array}$

Desinged to work with the Apache Harnesses. Protection for up to $400\ lbs$.

Product Code	Description
3530-E	Single leg, 6' of high tensile strength webbing, shock pack
3530-DE	Dual leg (100% tie-off), 6' web, double locking snaphooks
4550-E	Cross-arm strap, 6' length



Saturn[™]

Developed specifically for welders, the Saturn harness features Dupont NOMEX webbing to resist damage from splatter and char temperatures up to $700^{\circ}F.$

Product Code	Description
1030	Single back D-ring, grommet leg straps, pass-thru chest buckle
1031	Same as 1030, with 2 side D-rings
1020	Single back D-ring, pass-thru buckles
1021	Single back D-ring, 2 side D-rings, pass-thru buckles
1321	Single back D-ring, 2 side D-rings, grommet waist belt and leg straps



103





Designed to work with the Saturn Harnesses. Offers protection against weld splatter and char temperatures up to 700°F.

Product Code	Description
3520	Single leg, made of NOMEX, 6' length, 1 3/4" width, double locking snaphooks
3520-D	Dual leg (100% tie-off), 6' web, double locking snaphooks



3520



Tybak™ lanyard

Special carabiner allows the Tybak to tie off back unto itself around an anchor point that will support minimum of 5,000 lbs. tensile strength.

3812

Product Code	Description
3812	Single leg, 6' of 1", 12,500 lb. tensile rated nylon, shock pack, 6,000 lb. gate rated carabiner
3813	Dual leg (100% tie-off), 6' web, (2) carabiners



All SafeStop lanyards come with the SafeStop Absorber - a shock pack that extends 3 1/2' to bring the worker to a slow, smooth



Product Code	Description
3512	Single leg, 6' of 1" nylon web, double locking snaphook
3550	Dual leg (100% tie-off), 6' web, double locking snaphooks
3550-0241	Dual leg (100% tie-off), 6' web, 2 3/4" rebar snaphooks
3612	Single leg, 6' coated steel cable, double locking snaphook



$SafeAbsorb^{\mathsf{m}}$ lanyard

SafeAbsorb lanyards utilize an integrated core shock absorber, providing a low profile design.



Product Code	Description
3712-6	Single leg, 6' web, low profile lanyard, double locking snaphooks
3713	Same as 3712-6, with 2 3/4" rebar hooks
3750	Dual leg, 6' web low profile lanyard, double locking snaphooks
3751	Same as 3750, with 2 3/4" rebar hooks

$SafeAbsorb^{\mathsf{m}}$ Xtra

All SafeAbsorb lanyards stretch from 4' to 6', helping to keep extra lanyard out of the way and minimize work hazard. A builtin impact indicator is exposed when subjected to a fall.



4712-6-0241

	lullyulu	
Product Code		De

Product Code	Description
4712-6	Single leg, 4'-6' web lanyard, double locking snaphooks
4712-6/0241	Single leg, low profile shock absorbing system, 2 3/4" rebar snaphook, expands to 9 1/2' if fall occurs
4750	Dual leg, 4'-6' web lanyard, double locking snaphooks
4750-0241	Dual leg (100% tie-off), 4'-6' web, 2 3/4" rebar snaphooks





$\underset{\text{lanyard}}{\pmb{\mathsf{SafeLight}}^{\mathsf{T}}}$

SafeLight lanyards are lightweight for added comfort and mobility.



Product Code	Description
209512	Single leg, 6' web, double locking snaphook
209512-0241	Single back Single leg, 6' web, 2 3/4" rebar snaphook
209550	Dual leg (100% tie-off), 6' (each leg) nylon web, shock pack w/ clear UV resistant plastic
209550-0241	Dual leg (100% tie-off), 6' web, 2 3/4" rebar snaphooks

Thor[™] Cable

retractable

Patented alloy housing construction delivers increased strength and reduced weight. All Thor Cable retractables come with 3/16" galvanized steel cable, swivel top and fall indicator on double locking swivel snaphook. Includes carabiner.

R/	ATE	D	AT
4	00	lb	S.

Product Code	Description
M-15	15' cable, 5.7 lbs.
M-20	20' cable, 7.3 lbs.
M-25	25' cable, 8.6 lbs.
M-30	30' cable, 8.6 lbs.
M-50	50' cable, 16.3 lbs.
M-75	75' cable, 19.1 lbs.



M-25

MS Web

retractable

The incredibly lightweight Thor Web Retractable series utilizes tear-resistant webbing and high impact, anti-shock polymer casing (on MS-16 and up) to provide extended product life. All Thor Web Retractables include a carabiner.

RATE	D AT
400	lbs.

Product Code	Description
3307	NEW, lightest web retractable on the market - 1.9 lbs., 7' web, alloy housing
MS-11	11' web, 3.5 lbs., alloy housing
MS-16	16' web, 3.5 lbs.
MS-20	20' web, 5.0 lbs.
MS-25	25' web, 6.0 lbs.
MS-30	30' web, 6.5 lbs.
MS-40	40' web, 11.5 lbs.
MS-50	50' web, 12.0 lbs.



3307



The Thunderbolt series of Retractable Lifelines are constructed with a high impact antishock polymer casing that prevents denting and are durable yet lightweight.

RATED AT 400 lbs.



RLD-30

retractable

Product Code	Description
RLD-10A	10' cable, 3.7 lbs., double locking snaphook
RLD-10-0241	10' cable, 3.7 lbs., 2 3/4" rebar hook
RLD-20	20' cable, 6.7 lbs.
RLD-25	25' cable, 7.6 lbs.
RLD-30	30' cable, 8.0 lbs.
RLD-50	50' cable, 15.8 lbs.

Assemblies and Fasteners

Durable construction chain rebar assemblies and carabiners.



004	

Product Code	Description
3710-S	13 link chain assembly
SP3710-6	13 link chain assembly with swivel rebar hook
99-0210	autolock steel caribiner with 1" opening
0210-3	autolock steel caribiner with 3" opening



The newest generation of single point anchorage for I and H beam applications. Adjusts from both sides, enabling the connecting D-ring to be centered on the beam for smoother movement.



Product Code	Description
4650-2	Low friction design, fits I & H beam 3 1/2" to 14", beam
	thickness up to 1 1/4", double action release for "no slips"

SafeClaw[™]

With several improvements over competitive models, the SafeClaw is the only truly removable/reusable anchor point for concrete applications.

Product Code	Description
4015	Rated to 5,000 lbs., trigger release, 5/8" drill hole, 3" deep
4016	Multi-purpose anchor for applications such as material lifting and handling. (Not to be used for Fall Protection)
4017	Rated to 10,000 lbs., can be used for 2-man lifeline applications, 1" drill hole, 4 1/2" deep







Cross Arm Straps anchor point

High strength web anchor straps rated to 5000 lbs.



/	5	5	Π	١_	I
	u	u	u	,-	Ų

Product Code	Description
4550-U	6' length, 3" Nylon, 1 3/4" Polyester webbing for additional wear and strength
4550	6' length with 1 3/4" web
4550-A	Adjustable web strap from 2' to 6'

Roofing Kit

A safety kit designed specifically for roofing applications

10910 SafeLight Harness

- 209512 SafeLight Single Leg Lanyard 0221-50RG Rope (50°, 5/8") & Rope Grab (2) 4651X Disposable roof brackets
- 5000 Bucket (5 Gallon)

Product Code	Description
20000	Roofing Kit



SafeLight[™] Kit

Product Code

30500

Description

Fall Protection Kit

- . 10910 SafeLight Harness
- 209512 SafeLight Single Leg Lanyard





3-Way Retrieval

confined space system

Self contained retractable lifeline with a built-in winch for retrieval and lowering. Suitable for fall protection and rescue.

- Includes: . M10 Tripod
- M205G-50 3 way retractable unit
- Available in 75' and 100' lengths

Product Code	Description
M2050	Confined Space System







Protecting People, Products & Performance

Aearo Technologies . 8001 Woodland Drive . Indianapolis, IN 46278



Calle San Ignacio de Loyola 271, Miraflores Lima - Perú







postmaster@prosac.com.pe

© 2006 Aearo Technologies. The trademarks identified herein are licensed to Aearo Technologies. 36111C 8.06







