

LUXURY VINYL

PRIME PLANK
vinyl plank



717 Tattered Barnbo

shawfloors.com



BUILDER + MULTIFAMILY

	US Units	Metric Units
Style Number	0616V	
Construction	Residential Resilient LVT-Drybac<=2Mm	
Profile	Direct Glue	
Size	7" x 48"	17.78 cm x 121.92 cm
Overall Thickness	0.079"	2 mm
Wear Layer Thickness	6 mil (0.006")	0.2 mm
Finish	Opticlean Urethane	
Edge Description	Square	
Area per Carton	51.33 sq ft	4.77 sq m
Area per Pallet	2566.5 sq ft	238.44 sq m
Installation	Glue	
Installation Grade	Above, On, Below	
Ortho-Phthalates Free	Yes	
Residential Warranty	15 Years Residential Resilient LVP/LVT Products Limited Warranty	
Commercial Warranty	5 Year Light Commercial	


Colors



Suggested Adhesive

Style Name	Style Number
SHAW 200 1 GAL	052VS
KWIKFLASH 4 GAL	080VS
KWIKFLASH LV1	081VS
S150 SPRAY ADHS	069VS
SHAW 200 TPS 4G	026VS

Coordinating Trim



Omni Trim*
VSSUN1 | 94"






Quarter Round
VSQTI | 94"



Overlap Stairnose*
VSSN1 | 94"

*Packaged with molding track

Coordinating Metal Trim



Finish

Reducer

T-Mold

Stair Cap

Satin Silver

152SA

155SA

149SA

Satin Nickel

153SA

156SA

150SA

Dark Bronze

154SA

157SA

151SA

Installation Range

Profile Size

Installation Range

3.5mm

1.5mm to 3.5mm heights

5.5mm

3.6mm to 5.5mm heights

8mm

6mm to 8mm heights