



90160 Highway 93 North

Arlee, MT 59821

406-726-3700

Certificate of Analysis

Sample Description: Sublingual B₆ Liquid

Item #: SB64oz

Lab Sample #: 304064

Lot #: 13T13

PO #: DFH# 14600

We hereby certify that the product listed above has been tested for the following and has met the specifications of our company.

| Chemical Analysis | Specification | Result | Method | |
|------------------------|---------------|----------|--------|---|
| Vitamin B ₆ | 50mg | Complies | HPLC | * |
| Magnesium | 30mg | 38.1mg | ICP-MS | * |
| Zinc | 5mg | Complies | ICP-MS | * |

* Denotes 3rd party testing

| Microbial Analysis | Specification | Result | Method Reference |
|-----------------------------|---------------|-------------|------------------|
| Total Plate Count: | ≤3,000 CFU/ml | <100 CFU/ml | USP |
| Total Yeast and Mold Count: | ≤300 CFU/ml | <10 CFU/ml | USP |
| E. coli: | Negative | Negative | USP |
| Salmonella: | Negative | Negative | USP |
| S. aureus: | Negative | Negative | USP |

Tested by: Sam Johnson

Date: 4-17-13

Approved by: M. [Signature]

Date: 4/17/13