



90160 Highway 93 North
Arlee, MT 59821
406-726-3700

Certificate of Analysis

Sample Description: Chromium Synergy™

Item #: CHR090

Lab Sample #:

Lot #: 32950

PO #:

Results from tests performed on bulk lot# 32949

We hereby certify that the product listed above has been tested for the following and has met the specifications of our company.

Chemical Analysis	Specification	Result	Method
Vitamin D (cholecalciferol)	100IU	Complies	HPLC/Input *
Zinc (Zinc Chelazome® Bis-Glycinate Chelate)	10mg	Complies	By Input
Manganese (Manganese Chelazome® Bis-Glycinate Chelate)	1mg	Complies	By Input
Chromium (Chromium Chelavite® Nicotinate-Glycinate Chelate)	300mcg	Complies	By Input
Taurine	500mg	Complies	HPLC/Input *
Vanadium (Vanadium Chelavite® Nicotinate-Glycinate Chelate)	100mcg	Complies	By Input

* Denotes 3rd party testing

Microbial Analysis	Specification	Result	Method Reference
Total Plate Count:	≤3,000 CFU/g	<100 CFU/g	USP
Total Yeast and Mold Count:	≤300 CFU/g	<100 CFU/g	USP
E. coli:	Negative	Negative	USP
Salmonella:	Negative	Negative	USP
S. aureus:	Negative	Negative	USP

Tested by: Don Johnson

Date: 1-8-14

Approved by: M. Chazgin

Date: 1/8/14