



90160 Highway 93 North  
Arlee, MT 59821  
406-726-3700

## Certificate of Analysis

**Sample Description:** Chromium Synergy™

**Item #:** CHR090

**Lab Sample #:**

**Lot #:** 50442

**PO #:**

Results from tests performed on bulk lot# 50441

We hereby certify that the product listed above has been tested for the following and has met the specifications of our company.

Chemical Analysis	Specification	Result	Method
Vitamin D (cholecalciferol)	100IU	Complies	HPLC/Input
Zinc (Zinc Chelazome® Bis-Glycinate Chelate)	10mg	Complies	By Input
Manganese (Manganese Chelazome® Bis-Glycinate Chelate)	1mg	Complies	By Input
Chromium (Chromium Chelavite® Nicotinate-Glycinate Chelate)	300mcg	Complies	By Input
Taurine	500mg	Complies	HPLC/Input
Vanadium (Vanadium Chelavite® Nicotinate-Glycinate Chelate)	100mcg	Complies	By Input

\* Denotes 3rd party testing

Microbial Analysis	Specification	Result	Method Reference
Total Plate Count:	≤3,000 CFU/g	<100 CFU/g	USP
Total Yeast and Mold Count:	≤300 CFU/g	<10 CFU/g	USP
E. coli:	Negative	Negative	USP
Salmonella:	Negative	Negative	USP
S. aureus:	Negative	Negative	USP

Tested by:

Date: 3-11-15

Approved by:

Date: 3-11-15