



90160 Highway 93 North
Arlee, MT 59821
406-726-3700

Certificate of Analysis

Sample Description:

Inflammatone™

Item #: INF120**Lab Sample #:****Lot #:** 20539**PO #:**

Results from tests performed on bulk lot# 20418, 20419, & 20495-20496

We hereby certify that the product listed above has been tested for the following and has met the specifications of our company.

| Chemical Analysis | Specification | Result | Method |
|--|---------------|----------|--------------|
| Turmeric Root Extract (Standardized to 95% curcumin) | 200mg | Complies | By Input |
| Ginger Root Extract (Standardized to 5% gingerols) | 200mg | Complies | By Input |
| Quercetin | 75mg | Complies | HPLC/Input * |
| Rutin | 75mg | Complies | HPLC/Input * |
| Rosemary (Standardized to 7% Carnosic Acid) | 50mg | Complies | By Input |
| Boswellia Resin Extract (Standardized to 60% boswellic acid) | 200mg | Complies | By Input |
| n-zimes® proprietary blend | 222mg | Complies | By Input |
| Protease 6.0 50000HUT | | | |
| Protease 4.5 40000HUT | | | |
| Trypsin 1:150 25mg | | | |
| Serrazimes® 10000 U | | | |
| Chymotrypsin 2USP units | | | |

* Denotes 3rd party testing

| Microbial Analysis | Specification | Result | Method Reference |
|-----------------------------|----------------|------------|------------------|
| Total Plate Count: | ≤100,000 CFU/g | 600 CFU/g | USP |
| Total Yeast and Mold Count: | ≤1,000 CFU/g | <100 CFU/g | USP |
| E. coli: | Negative | Negative | USP |
| Salmonella: | Negative | Negative | USP |
| S. aureus: | Negative | Negative | USP |

Tested by: Sam Johnson

Date: 3-22-12

Approved by: M. Granger

Date: 3/23/12