



90160 Highway 93 North
Arlee, MT 59821
406-726-3700

Certificate of Analysis

Sample Description: XanthOmega™

Item #: XOS120

Lab Sample #:

Lot #: 30243

PO #:

Results from tests performed on bulk lot# A220602 & A232506

We hereby certify that the product listed above has been tested for the following and has met the specifications of our company.

Chemical Analysis	Specification	Result	Method	
Vitamin A	90 IU	Complies	HPLC	*
Eicosapentaenoic acid (EPA)	80 mg	Complies	GC-MS	*
Docosahexaenoic acid (DHA)	44 mg	Complies	GC-MS	*
Phospholipids	352 mg	Complies	Calculation	*
Astaxanthin	12 mg	Complies	HPLC	*

* Denotes 3rd party testing

Microbial Analysis	Specification	Result	Method Reference
Total Plate Count:	≤3,000 CFU/g	150 CFU/g	USP
Total Yeast and Mold Count:	≤300 CFU/g	<100 CFU/g	USP
E. coli:	Negative	Negative	USP
Salmonella:	Negative	Negative	USP
S. aureus:	Negative	Negative	USP

Tested by: Sam Johnson

Date: 2-5-13

Approved by: M. D. [Signature]

Date: 2/5/13