



90160 Highway 93 North
 Arlee, MT 59821
 406-726-3700

Certificate of Analysis

Sample Description: B-Supreme

Item #: BSP120

Lab Sample #:

Lot #: 40984

PO #:

Results from tests performed on bulk lot# 40434, 40696-40697

We hereby certify that the product listed above has been tested for the following and has met the specifications of our company.

| Chemical Analysis | Specification | Result | Method | |
|---|---------------|----------|------------|---|
| Vitamin B ₁ (Thiamine HCl) | 100mg | Complies | HPLC/Input | * |
| Vitamin B ₂ | 50mg | Complies | By Input | |
| Riboflavin HCl (35mg) | | Complies | By Input | |
| Riboflavin-5-Phosphate (15mg) | | Complies | By Input | |
| Vitamin B ₃ (Niacinamide) | 50mg | Complies | HPLC/Input | * |
| Vitamin B ₆ | 50mg | Complies | By Input | |
| Pyridoxine HCl (40mg) | | Complies | HPLC/Input | * |
| Pyridoxyl-5-Phosphate (10mg) | | Complies | HPLC/Input | * |
| Folates (Nature's Folate blend) | 200mcg | Complies | By Input | |
| Vitamin B ₁₂ (Methylcobalamin) | 250mcg | Complies | By Input | |
| Biotin (d-biotin) | 2mg | Complies | By Input | |
| Pantothenic Acid | 100mg | Complies | HPLC/Input | * |
| Choline | 200mg | Complies | By Input | |
| Trimethylglycine | 200mg | Complies | By Input | |

* Denotes 3rd party testing

| Microbial Analysis | Specification | Result | Method Reference |
|-----------------------------|---------------|------------|------------------|
| Total Plate Count: | ≤3,000 CFU/g | <100 CFU/g | USP |
| Total Yeast and Mold Count: | ≤300 CFU/g | <100 CFU/g | USP |
| E. coli: | Negative | Negative | USP |
| Salmonella: | Negative | Negative | USP |
| S. aureus: | Negative | Negative | USP |

Tested by: B. Pannick

Date: 4-7-14

Approved by: Dan Johnson

Date: 4-7-14